

BLÖCKER NEWS April/2022



COSIFLOR®
Pleated Blinds



VS 2 screwless fitting

Diverse solutions - simply brilliant



VS 2 screwless fitting



Fitting option **Clamping**



Fitting option **Clamping**

VS 2 clamp bracket

- The blind runs on the frame
- The clamp bracket is clamped over the casement
- The left and right overlap can be individually determined

VS 2 clamp bracket slim

- The blind runs in the glazing rebate
- The clamp bracket slim is clipped over the casement



Fitting option **Sticking**




Fitting option **Sticking**

VS 2 Slide / Slide Comfort

- Fitting with the help of adhesive rail on the glass
- The rail reduces the light gap at the side
- Lateral guidance of the blind prevents it falling out when the window is tilted
- The handle bar eliminates protruding operating elements

VS 2 KL

- Fitting with the help of adhesive rail on the glass
- The rail reduces the light gap at the side
- Operation with operating handle / design handle





VS 2 screwless fitting



Fitting option **Sticking**

With tension shoe base on adhesive plate

- Tension shoe base is stucked directly in the glazing rebate
- Blind runs inside of the glazing rebate
- Visually comparable with a screwed solution
- For size ranges up to 2 m²



Fitting option **Sticking**

With adhesive beading bracket

- The bracket is bonded on the glazing rebate
- The blind runs in the glazing rebate
- For size ranges up to 2 m²



Fitting option **Sticking**

With adhesive bracket

- The bracket is stucked directly to the frame
- The blind runs in front of the casement
- The glazing rebate is covered over its width and height
- Visually comparable with the screwed wall fitting bracket
- For size ranges up to 2 m²



Please get in touch with us if you have any questions!

Blöcker Zweigniederlassung der
Hunter Douglas Holding GmbH & Co. KG
Norderneystraße | 28217 Bremen | Germany
Tel. +49 421 38 69 20 | www.bloecker.de

